

# Laucks <sup>81</sup> YEARS

## Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063



## Certificate

Chemistry, Microbiology, and Technical Services

CLIENT: Alaskan Copper Works  
P.O. Box 3546  
Seattle, WA 98124  
ATTN: Raphael

LABORATORY NO. 17026

DATE: June 26, 1989

PO# M10394

REPORT ON: PLASMA TANK LIQUID

### SAMPLE

IDENTIFICATION: Submitted 06/15/89 and identified as shown below:

40-CFR-261 6-15-3317-M10394

### TESTS PERFORMED AND RESULTS:

Sample was analyzed for E.P. Toxicity in accordance with Test Methods for Evaluating Solid Waste (SW 846), U.S.E.P.A, November, 1986. Extraction was performed using Method 1310. Mercury was determined using Method 7470, other metals were performed by ICAP, Method 6010.

### parts per million (mg/L)

	<u>Sample</u>	<u>MCL</u>
Arsenic	<0.2	5.0
Barium	<0.1	100.
Cadmium	<0.01	1.0
Chromium	0.1	5.0
Lead	<0.1	5.0
Mercury	<0.005	0.2
Selenium	<0.2	1.0
Silver	<0.1	5.0
Copper	2.0	100.
Nickel	1.5	---
Zinc	<0.1	500.



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0015190

Chemistry, Microbiology, and Technical Services

Alaskan Copper Works

PAGE NO. 2

LABORATORY NO. 17026

Comment: Due to insufficient sample, less than the required 100 gram weight was extracted, proportionally.

Sample size extracted: 43.9 gram


Key

< = Less than

MCL = Maximum Contamination Level allowed per regulation.

Respectfully submitted,

Laucks Testing Laboratories, Inc.



J. M. Owens

JMO:emt



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.